

MTA

INTERNATIONAL

SHORT BAR FEEDER



PATENT PENDING



Vs-65E / Vs -65LE



Hand held remote control .



Fully-functional PLC control combined with comprehensive data bank software.



Servo feeding fast and accurate, no risk of impact by the bar on the lathe turret.



New design top-cut system, specially for small diameter.




Quick and easy adjustment of V channel.

Vs-65E / Vs-65LE

SHORT BAR FEEDER

Features:

- ❖ Increase productivity
- ❖ No vibrations, allows precision machining at high rpm.
- ❖ Fast and smooth bar loading cycle
- ❖ Smoothly pushing motion combine with liner guide.
- ❖ V channel easy to adjust.
- ❖ Convenient remote control.
- ❖ External LED display.
- ❖ Movable rail.
- ❖ Servo feeding combine with liner guide, permits
- ❖ accurate positioning of bar without turret stop.
- ❖ Friendly display easy for setting and trouble shooting.




Single point adjustment material magazine easy for bar diameter change.



Movable rail, convenient for machine service, or spindle liner.

Quality Innovation Reliability Experience

MODEL	Vs-65E / Vs-65LE	
BAR DIAMETER	$\varnothing 1\frac{13}{64} \sim \varnothing 2\frac{9}{16}$	
BAR CAPACITY	$\varnothing 2\frac{9}{16}$ / 10 pcs	
BAR LENGTH	MAX 48"	MAX 60"
MACHINE WEIGHT	750lbs	795lbs
AIR PRESSURE	6 kg / cm ² 70psi	
POWER SUPPLY	220V / 440V	
PUSHER SIZES	$\frac{15}{64} \sim \frac{1}{2} \sim \frac{3}{4}$	



MTA INTERNATIONAL

11675 Chesterdale Rd

Cincinnati, OH 45246


U.S.A

TEL: +1 513-772-4004

1-800-305-0760

FAX: +1 513-772-4115

www.barfeeder.com



The rights of any change of the design are all reserved.