



# NANTONG JUGAO MACHINERY COLTD

ADD: LIBAO INDUSTRY PARK HAIAN COUNTRY JIANGSU PROVINCE CHINA POST CODE:226600

TEL: 0086513-88283988 FAX:0086513-88932366 MOBILE:008613222111178

E-MAIL: [INFO@NTJUGAO.COM](mailto:INFO@NTJUGAO.COM) <http://www.ntjugao.com>

## Power press technical data

### A、 Machine model name

#### 1、 Type: JG23-63TON

Machinery

Leading manufacturer

In China



High Quality

Competitive price

Best service



Nantong Jugao Machinery Co Ltd Tel:008651388932366 Mobile:008613222111178  
Add:Libao Industry Park Haian Couty Nantong City Jiangsu Province

## 2、 BRAND: JUGAO. TOP RANKING QUALIT




**CE certification brand**

**CE certification brand**

# WORLD CLASS

21,000 square meters  
Workshops

WORLD CLASS ←

to ensure high-quality machines



# STRENGTH

Monthly production  
capacity reached 500

→ The strength witness

Industry-leading scale








# 360° PLEASANT EXPERIENCE

JUGAO  
YOU CAN TRUST

360° Pleasant experience ←

Attentive service

NANTONG JUGAO

***FOR MACHINES, WE ARE MORE PROFESSIONAL QUALITY***

**B: General Features**

Rigidity, precision and stability.

Compact, easy to operate.

Is sensitive, easy maintenance.

**C: Applicable industries:**

JG23 series open press tilting press is versatile, suitable for forming, blanking. Punching, bending and other cold stamping process is widely used in electronic components, instrumentation, electrical appliances, toys, cars, tractors and other industries. This series of press is the ordinary type of plant presses its simple structure, convenient operation, rigid turn-button clutch. Maintenance use of helical gears. Work smoothly, the impact of small, low noise.

**MORE COMPETITIVE PRICE.WELCOME TO OUR COMPANY**

**D、 The main technical data**

| No | Name                         |               | Data    | Unit      | Remarks |
|----|------------------------------|---------------|---------|-----------|---------|
| 1  | Nominal pressure             |               | 630     | KN        |         |
| 2  | Slide stroke                 |               | 120     | MM        |         |
| 3  | Ram stroke No                |               | 50      | Time/min  |         |
| 4  | Max die height               |               | 270     | MM        |         |
| 5  | Die height adjust            |               | 80      | MM        |         |
| 6  | Between Slide Center & Frame |               | 260     | MM        |         |
| 7  | Bolster surface              | L-R           | 710     | MM        |         |
|    |                              | F-B           | 480     | MM        |         |
| 8  | Hole dimension in bed        | L-R           | 340     | MM        |         |
|    |                              | F-B           | 200     | MM        |         |
|    |                              | Diameter      | 250     | MM        |         |
| 9  | Slide surface size           | L-R           | 320     | MM        |         |
|    |                              | F-B           | 280     | MM        |         |
| 10 | Size of handle hole          | Diameter      | 50      | MM        |         |
|    |                              | Depth         | 80      | MM        |         |
| 11 | Distance of uprights         |               | 350     | MM        |         |
| 12 | Bolster thickness            |               | 90      | MM        |         |
| 13 | The tilting angle            |               | 25      | °         |         |
| 14 | Motor                        | Model         | Y132M-4 |           |         |
|    |                              | Power         | 5.5     | KW        |         |
|    |                              | Turning speed | 1440    | Times/min |         |
| 15 | Dimension                    | Length        | 1180    | MM        |         |
|    |                              | Width         | 1350    | MM        |         |
|    |                              | Height        | 2640    | MM        |         |
| 16 | Net weight                   |               | 4000    | KGS       |         |



## EXCELLENT QUALITY, RELIABLE

E: Photos about the machines



---

Nantong Jugao Machinery Co Ltd Tel:008651388932366 Mobile:00861322211178  
Add:Libao Industry Park Haian Couty Nantong City Jiangsu Provice

## EXCELLENT QUALITY, RELIABLE



Nantong Jugao Machinery Co Ltd Tel:008651388932366 Mobile:00861322211178  
Add:Libao Industry Park Haian Couty Nantong City Jiangsu Provice

***MORE COMPETITIVE PRICE. PLEASE CHOSE JUGAO***

**F: Warranty**

100% warranty in one year.

**K: Delivery time:**

In 30days after seller receive the deposit.

**G:Remittance Information**

Account Bank: BANK OF CHINA LTD.,HAIAN SUB-BRANCH

SWIFT CODE: BKCHCNBJ95G

Bank Add: 18 Changjiang Rd(m), Haian, Nantong, Jiangsu, China 226600

Beneficiary: NANTONG JUGAO MACHINERY CO.,LTD.

A/C NO.: 535258233084

**Note: The copyright of this document belong to Nantong Jugao**

**NANTONG JUGAO MACHINERY CO LTD( Techonogy Department)**

**Service Hotline: 008651388932366**