



W.F. WELLS®

Model S-40-3 Semi-Automatic Console Controlled Horizontal Band Cut-Off Machine



MADE IN THE USA

MACHINE SPECIFICATIONS

| | |
|--------------------------------|--|
| Capacity | Rectangular @ 90° 40" H x 40" W @ 45° 40" H x 24" W |
| Weight Capacity | 15,000 lbs |
| Blade Speed | 115-500 SFPM |
| Blade Size | 2" x .063" x 29' |
| Blade Guide | Carbide Blocks, Spring Tensioned |
| Blade Tension | Hydraulic |
| Bandwheel Size | 42" |
| Vise | Hydraulic Full Stroke |
| Blade Drive | 15 HP, 3 ph AC Vector Drive |
| Sawing Force | 0-500 lbs |
| Coolant Capacity | 15 Gallons |
| Hydraulic Capacity | 20 Gallons |
| Work Height | 28" |
| Hydraulic Powered Blade Brush | |
| Hydraulic Positioned Guide Arm | |
| Blade Tension Indicator | |
| Blade Break/Stall Switch | |
| Shipping Weight | 9,200 lbs |
| Electrics | Wired to NFPA 79 Machine Tool Standards |

STANDARD EQUIPMENT

2" Bimetal Blade
Spring Loaded Carbide Guides
Hydraulic Vise with Variable Pressure
Hydraulic Blade Tension
Semi-automatic Operation
Built-in Coolant System
Hydraulic Powered Blade Brush
Hydraulic Guide Arm Positioning
TEFC Motors
Fused Disconnect
Automatic End-Of-Cut Shut off
Console Controlled Blade Speed
Feed Pressure Monitor/Regulator
Automatic Blade Break Shut Off
Worklights
Operator Manual and Parts List
Low Voltage Protection and Overload Protection

***Specifications Subject to Change without Notice**

W.F. Wells, Inc.

16645 Heimbach Road • Three Rivers, MI 49093

Phone: (269) 279-5123 • Fax: (269) 279-6337

Web page: www.wfwells.com • E-mail: info@wfwells.com