

PLANT
CLOSED

EVERYTHING
MUST SELL!

Webcast Auction

DIVERSIFIED MACHINING CONCEPTS, INC.

DOOSAN, HAAS & OKUMA CNC, GENERAL MACHINING & TURNING

5 SAGEFIELD DRIVE -CANDLER, NC 28715

THURSDAY, MAY 30TH @ 10:00 A.M. EDT

Inspection: Wednesday, May 29th From 8:00 A.M. - 4:00 P.M. EDT



(2) DOOSAN LYNX 220A CNC TURNING CENTERS



HAAS SL-30TB BIG BORE CNC TURNING CENTER



TOYOTA 4,500LB LP FORKLIFT



DOOSAN LYNX 220C CNC CHUCKING LATHE



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, NC 28079

Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325

www.asset-sales.com info@asset-sales.com

European Headquarters

6 Hill End Close, Norwood Green
Halifax, West Yorkshire, HX3 8RH

Tel / Fax 07836.347880

peteram@asset-sales.co.uk

BidSpotter



IAA



DOOSAN LYNX 220A CNC TURNING CENTERS



DOOSAN LYNX 220A CNC TURNING CENTERS



HAAS SL-30TB BIG-BORE CNC TURNING CENTER



DOOSAN LYNX 220C CNC CHUCKING LATHE

CNC TURNING CENTERS & CHUCKING LATHES

HAAS SL-30TB Big-Bore CNC Turning Center with Upgraded 15" 3-Jaw Hydraulic Chuck, Approx. 30" Swing x 39" Center Distance, 4" Spindle Bore, 12 Position Turret, Tailstock, Chip Auger, **HAAS** CNC Control with RPG Upgraded Approx. 2020, sn:62159

(2) **DOOSAN** Lynx 220A CNC Turning Centers with Collet Chucks, Approx. 20.1" Swing x 20.7" Max. Turning Length, Approx. 1.8" Bar Capacity, 12 Position Turrets, Tailstocks, Tool Presetters, Parts Catchers, Chip Conveyors, 2012 **LNS** Quick Load Servo 80 S2 Magazine Bar Feeders (May Be Sold Separately) with Digital Pendant Controllers, **FANUC** i Series CNC Controllers, sn:ML0013-005627, Approx. 6,327 Cutting Hours • sn:ML0013-005629, mfg.2012, Approx. 5,895 Cutting Hours

DOOSAN Lynx 220C CNC Chucking Lathe with Collet Chuck, Approx. 20.1" Swing x 20.7" Max. Turning Length, Approx. 2.05" Bar Capacity, 12 Position Turret, Tool Presetter, Parts Catcher, Chip Conveyor, 2010 **LNS** ML-565 Magazine Barfeeder with Digital Pendant Control (May Be Sold Separately), **FANUC** i Series CNC Control, sn:L2204340, mfg.2010, Approx. 7483 Cutting Hours

DOOSAN-DAEWOO Lynx 220A CNC Chucking Lathe with 6" 3-Jaw Chuck, Approx. 20.1" Swing x 12" Max. Turning Length, Approx. 1.8" Bar Capacity, 12 Position Turret, Tool Presetter, Parts Catcher, Chip Conveyor, **FANUC** i Series CNC Control, sn:L2201331, mfg.2006

OKUMA Crown Model 762S-BB "Big Bore" CNC Turning Center with 10" 3-Jaw Hydraulic Chuck, Approx. 21.7" Swing x 19.7" Max. Machining Length, 2.4" Spindle Bore, 12 Position Turret, Tailstock, Parts Catcher, Chip Conveyor, **OKUMA** OSP-U100L CNC Control, sn:0716

OKUMA Cadet-W Model LNC 8W "Big Bore" Dual Spindle CNC Turning Center with 10" 3-Jaw (Main) & 5" 3-Jaw (Sub) Chucks, Approx. 18" Swing x 24" Machining Distance, Approx. 3" Spindle Bore (Main), 1" Sub, 12 Position Turret, Chip Conveyor, **OKUMA** CNC Control, sn:0803E151, (Buyer Inspect, Needs New Spindle Drive: Approx. \$3,500)

4th/5th-AXIS CNC VERTICAL MACHINING CENTERS

HAAS VF-3D 4/5-Axis CNC Vertical Machining Center with 18" x 48" Table, #40 Spindle Speeds to 8,100 RPM, Approx. 40" X-Axis Travel, 20" Y-Axis, 25" Z-Axis, 20 Position Turret, Chip Auger Programmable Coolant, **HAAS** 4th/5th-Axis Rotary Table & Indexer (May Be Sold Separately), **HAAS** CNC Control with RPG, sn:17516

(2) **OKUMA** Cadet-V 4-Axis CNC Vertical Machining Centers with 20" x 48.5" Tables, #40 Spindle Speeds to 8,000 RPM, Approx. 40" X-Axis Travels, 20" Y-Axis, 20" Z-Axis, 20 Position Turrets, Chip Augers, **TSUDOKOMA** 12" 4th-Axis Rotary Table (May Be Sold Separately), **OKUMA** CNC Controllers with RPG, sn:0272 • sn:0301 (Buyer Inspect, Machine sn:0301 Needs Repair)

GENERAL MACHINING & TURNING

HERCULES 1660 16" x 60" Engine Lathe with 10" 3-Jaw Chuck, Variable Speeds to 1,680 RPM, 3" Spindle Bore, Tailstock, Inch/Metric Threading, Taper Attachment, **HEIDENHEIN** 2-Axis DRO

NARDINI TT 1230 E "True Turn" 12" x 30" Tool Room Lathe with Collet Closer, Variable Speeds to 2,500 RPM, Tailstock, Inch/Metric Threading, Follow Rest, sn:CHMMTT385

CHEVALIER FM-3VK Vertical Knee Mill 10" x 50" Table, Variable Speeds to 4,500 RPM, Power Table, **HEIDENHEIN** 2-Axis DRO, sn:KM82B228

CHEVALIER FM-3VS Vertical Knee Mill 10" x 50" Table, Variable Speeds to 4,500 RPM, Power Table, Power Draw Bar, **HEIDENHEIN** 2-Axis DRO, sn:BM843785

CHEVALIER FSG-618M Surface Grinder with 6" x 18" Magnetic Chuck, Coolant, Push Button Controls, sn:A3838082

DOALL C-5A Automatic Horizontal Band Saw with 9" x 12" Capacity (Rectangles), 9 3/4" (Rounds), Roller Conveyor, Push Button Controls, sn:314-82850

EMPIRE EF-2430 Blast Cabinet with Reclaim, sn:C-8630

Download a lot book at www.asset-sales.com



4/5
AXIS

HAAS VF-3 4/5 AXIS CNC VERTICAL MACHINING CENTER



2
AVAIL.

(2) OKUMA CADET-V 4-AXIS CNC VERTICAL MACHINING CENTERS

Want to Sell Your Shop or Know Someone Who Does? Call Us Toll Free at (888) 800-4442! We Pay Great Finder's Fees!



2006

DOOSAN-DAEWOO LYNX 220A CNC CHUCKING LATHE



CHEVALIER FM-3VK & FM-3VS VERTICAL KNEE MILLS



TOYOTA 4,500LB LP FORKLIFT



OKUMA CROWN 762S CNC TURNING CENTER



ROLLING STOCK, QUALITY CONTROL, & PLANT SUPPORT EQUIPMENT

TOYOTA Model 5FGC25 4,500 lb. Capacity LP Forklift with Side Shift, Treaded Front Tires, Hard Tread Tires, Headlights, Approx. 9,700 Hours, sn:76115

QUINCY QT-15 15 HP Reciprocating 2-Stage Air Compressor, sn:UTZ451902, mfg.2014

NATIONAL BD 15 HP Reciprocating Air Compressor

Quality Control Including: MITUTOYO Digital and Vernier Height Gauges • MITUTOYO, FOWLER & Other Digital and Vernier Micrometers & Calipers • VERMONT GAGE & NULINE Pin Gauge & Gauge Block Sets • FOWLER Bore Gauges • MITUTOYO Digital & Other Dial Indicators & Stands • Granite Surface Plates • Go/No-Go Gauges • Setup & V-Blocks • etc.

Large Assortment Plant Support Equipment Including KURT, CHICK, & Other Vises • TSUDOKOMA, HAAS & Other 4th-Axis Rotary Tables & Indexers • TWISTER Speed Lathe • SMW SPACESAVER & Other Barfeeders • Draw Tubes • KLUTCH & Other Drill Presses • Angle Plates • Bench Grinders & Sanders • GRIP Parts Washer • OKUMA Transformers (1 New/Unused) • Assorted Collet, 3, & 4-Jaw Chucks • Chuck Jaws & Soft Jaws • KENNAMETAL, HAAS, & Other #40 & Lathe Toolholders • SANDVICK (Some New), KYOCERA, & Other Carbide & Perishable Tooling • Lathe Inserts • Collets • Pallet Jack with Digital Scale • Portable Air Compressor • Dump Hoppers • Portable & Material Carts • WATERLOO, CRAFTSMAN, & Other Toolboxes • Workbenches • Cabinets • Pallet Rack & Shelving • Hand & Power Tools • Chip Conveyors • Machine Skates • Maintenance Supplies • & MUCH MORE!



HERCULES 1660 16" X 60" ENGINE LATHE

www.asset-sales.com



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – www.asset-sales.com

Asset Sales Inc. • Lance Mannion – North Carolina License #6003 & 6625



DOOSAN LYNX 220A CNC TURNING CENTERS

ABBREVIATED TERMS & CONDITIONS OF AUCTION

YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT WWW.ASSET-SALES.COM. No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer, cashers check, cash or a company check with a bank letter of guarantee. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buyer's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured.

ALL ONLINE SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.

WEBCAST AUCTION

DIVERSIFIED MACHINING CONCEPTS, INC.

DOOSAN, HAAS & OKUMA CNC, GENERAL MACHINING & TURNING FACILITY
CANDLER, NC

THURSDAY, MAY 30TH @ 10:00 A.M. EDT