Seconds ahead





MILL Series

Universal precision machining centers for high-performance cutting – from small parts to large workpieces

Designed and Made in Germany

Strong, dynamic & precise

As versatile as your manufacturing requirements



The CHIRON MILL series is the optimal solution for highly productive cutting and machining applications. Whether your focus is on flexible single-unit production, or high volume precision manufacturing – its modular design offers numerous configuration possibilities. Every standard MILL series machine can be assembled into the perfect individualized solution.

Your benefits:


- Large, flexible work areas
- High milling capacity and powerful drives
- Lower cost per piece
- Highest precision and processing quality
- High stability
- Fast set-up
- Simple operation
- Easy maintenance

Range of applications	[04–05]
Machine design	[06-07]
Extension options	[08-17]
Services	[18–19]



From small parts to large workpieces -


Complete precision machining, with the lowest cost per piece



We love perfection ...

That's why we view every detail as an exciting challenge. Whether automotive, aerospace, mechanical engineering, medical or precision technology – the high-quality machining centers of the CHIRON MILL series reduce processing times, while powerfully carrying out their manufacturing tasks in the smallest possible space. Implement your production ideas quickly with micron-level precision.

Market leaders trust us.



High-tech modules for any application

Perfectly tuned for flexibility

Spindles & spindle systems:



Proven single-spindle machining centers in the vertical traveling column design.



Machining centers with NC swivel head with programmable positioning anywhere within the range of -110° to +110°.

Tool changing systems:



Automatic tool change using the pick-up procedure as fast as 1.5 s (24 / 40 / 60 tool places SK 40 / HSK 63).



Background magazine for the provision of 92 to 163 tools during machining.

The MILL series can be delivered with CNC controls from Siemens, Fanuc or Heidenhain, as needed.










Highest precision: Glass scales and digital drive technology allow high accelerations with the same contour accuracy. Machines with traverse paths of more than 4,500 mm in X are equipped with linear motors.

Modular concept:


- Vertical traveling column principle
- I Long travel with compact external machine dimensions
- Sturdy machine bed with integrated coolant and chip removal
- High rigidity and thermal stability
- Motor spindles with water cooling
- Precision glass scales on all axes
- Dynamic direct drives and precision guides
- Highest productivity with the High Dynamics package
- Robust CHIRON rotary axes
- Fully enclosed work area, stainless steel covers
- Smooth, steep walls for ideal chip flow
- I Ergonomic operating and loading concept
- Service friendly access to all auxiliary units
- Foundation-free set-up
- I High durability, low maintenance





The right machine for each component

Variants and extension options



MILL 4500
MILL 800 MILL 1250 MILL 2000 MILL 3000 MILL 6000






Table options
Automatic tool changer
Spindles & spindle systems

Process advantages:

Maximum path X-Y-Z
Maximum power
Maximum spindle speed
Maximum torque
Chip-to-chip time starting
6,000-915-715 mm
75 kW (40% ED)
20,000 rpm
280 Nm
from 2.9 s

Maximum axis acceleration X-Y-Z
 Rapid feed as fast as
 75 m/min

Maximum milling capacity in St 60 900 cm³/min

Max. number of tools 163

■ Tool taper SK 40 / HSK 63


Maximum tool weight 8 kgMaximum tool diameter 160 mmMax. tool length 370 mm







Fast and compact precision machining center with a 2-axis swivel rotary table for 5-axis simultaneous and complete machining. Workpieces can be machined with high surface quality in one set-up.

Range of applications [04-05] Machine design [06-07] **Extension options** [08-17] Services [18-19]
























■ ■ MILL 2000

Powerful long-bed production in pendulum mode with standard rotary table basic device. Work areas of long-bed machining centers larger than X 2,000 mm can be divided into two areas by a central splash guard. NC Control is mobile for ergonomical setting mode.



Fast, high-precision machining center with NC swivel head and CHIRON standard rotary table basic device for individual set-ups.





Range of applications [04–05]
Machine design [06–07]
Extension options [08–17]
Services [18–19]







Crane loading: Easy loading of large, heavy devices and workpieces.

The front doors are wide opening, allowing great accessibility and easy loading. Automatic door activation can be added as an option.



High-precision machining center with NC swivel head and CHIRON standard rotary table basic device for individual set-ups.

☑ Ⅲ Ⅲ Ⅲ Ⅲ Ⅲ Ⅲ

High-precision machining center for fast long-bed production. Workpieces of up to 6 m in length can be easily clamped and processed economically.

Your advantages with CHIRON fixed table or long-bed machining:

- 3-axis basic machining center based on the vertical traveling column principle
- Long travel with compact external machine dimensions
- Sturdy machine bed
- High rigidity and thermal stability
- Clear, easily accessible work area
- Simple loading with lifting gear (cranes, lift trucks, etc.)
- Work area for larger workpieces or multiple set-ups
- Automatic tool change using the pick-up method
- Chip-to-chip time starting from 2.9 s
- Reduction of down-time due to loading and unloading during machining in pendulum mode or multiple set-ups
- Expandable to 4 axes with the basic device, or to 5-axis machining with the 2-axis tilt rotary table and/or NC swivel head in combination with an integrated NC rotary table
- Machine tool construction "Designed and Made in Germany"



5-axis machining in pendulum mode (MILL FX 2000 and MILL FX 3000) possible.

Five-axis machining with the CHIRON rotary table program:

- Solid and reliable technology developed and manufactured by CHIRON
- Backlash-free pretensioned precision gear with high overload capacity and large holding torque
- Rotation option due to high-precision torque drives

Range of applications [04-05] Machine design [06-07]

Extension options [08-17]

Services [18-19]


☑ 🗊 🖬 MILL 1250

Combination of a NC swivel head and NC rotary table integrated in the fixed table with a face plate of Ø 500 mm. The C axis can be designed as a NC rotary table or as a turning spindle with a speed of up to 1,000 rpm.



Combination of a NC swivel head and the basic device. Achieve maximum productivity using the High Dynamics package.













☑ 🖬 🖪 MILL 2000

Combination of a NC swivel head and a standard rotary table basic device. The swivel plate can be customized according to our customers' requirements; for instance 4-sided due to a clamping cube.

Your advantages with CHIRON FX:

- I Long travel with compact external machine dimensions
- Sturdy machine bed
- High rigidity and thermal stability
- I Highest precision in positioning and simultaneous operation
- Clear, easily accessible work area
- Simple loading with lifting gear (cranes, lift trucks, etc.)
- Spindle speeds of up to 20,000 rpm
- Excellent surface quality
- Integrated CHIRON 2-axis swivel rotary table with direct measuring systems
- Integrated 6-way energy supply for clamping device on the face plate
- Zero-point clamping systems can be integrated
- Fourth axis with a pivoting range of up to +/- 120°
- 5th axis with TORQUE drive up to 1,000 rpm for turning work
- Automatic machine compensation due to the 3D touch probe TS27
- Machine tool construction "Designed and Made in Germany"








Faster and more productive

Options create greater efficiency




Background magazine for the provision of up to 163 tools.



CHIRON laser control for tool breakage checks, for tool measurement and for machine compensation.



Stationary 3D probing system TS 27 for tool length measurement, tool breakage



Series MILL – further options:

- High Speed Plus package
- High Dynamics package
- Reinforced spindle drive
- Work area suctioning unit
- Connection for central suctioning unit
- Energy-efficiency package with an intelligent energy-saving control
- Automatic doors
- Zero point clamping systems
- Oil package with fire-extinguishing system CHIRON FireEx
- Robot interface and much more



Turnkey customization completely from one source

Individual automation and engineered solutions for greater productivity

FLEXCELL PRO – Customized automation solutions:

- Machine-integrated spindle grippers
- Portal and articulated-arm solutions
- I Load and unload devices
- Pallet changing systems
- Pallet storage for raw and finished parts
- Interlinked systems and much more



Customized automation solutions including:

Autonomous production due to the use of a pallet changer/storage with loading and unloading portal robot.



From the planning stage to serial production

Today, manufacturing excellent machining centers alone is not enough. The user rightly expects a solution, which is as individual as it is intelligent. Starting from one specific machining task, a "Turnkey process" is developed around the workpiece based on quantity structure and constraints. The CHIRON TURNKEY makes it possible to optimally solve complex tasks.

Together with perfectly adapted technology modules, CHIRON engineers create the most economical solution from one source to meet the customer's special needs. This ensures decisive competitive advantages for CHIRON customers. CHIRON not only offers the machining solution itself, but also the support to keep manufacturing running at an optimal level.

CHIRON worldwide

Germany

CHIRON-WERKE GmbH & Co. KG Kreuzstraße 75 78532 Tuttlingen, Germany Tel. +49 7461 940-0 Fax +49 7461 940-8000 info@chiron.de

www.chiron.de

CMS-GmbH

Gewerbepark "take-off" 125 78579 Neuhausen ob Eck, Germany Tel. +49 7461 940-3700 Fax +49 7461 940-3701 cms@chiron.de www.pre-owned-machines.com

■ France

CHIRON Technologies de Production SAS

14 Chemin de la Litte 92390 Villeneuve-la-Garenne, France Tel. +33 1479 859 50 Fax +33 1479 854 31 info@chiron-technologies.fr www.chiron-technologies.fr

I Italy

CHIRON Italia S.p.A.

Via Ambrosoli 4/C 20090 Rodano Millepini - MI, Italy Tel. + 39 02 953 211 02 Fax + 39 02 953 286 20 info@chironitalia.it www.chironitalia.it

Turkey

CHIRON Istanbul

Makine Ticaret ve Servis Ltd. Şti. Topçular Mah. Kişla Cad. Cicoz Yolu No:1 Kuşçu Plaza D:11 34055 Eyüp / Istanbul, Turkey Tel. +90 212 612 12 11 Fax +90 212 612 48 28 info@chiron-turkey.com www.chiron-turkey.com

■ Poland

CHIRON Polska Sp. z o.o.

ul. Magdziorza 14 41-710 Ruda Slaska, Poland Tel. +48 32 342 2075 Fax +48 32 240 3162 info@chiron-poland.com www.chiron-poland.com

USA

CHIRON America INC.

10950 Withers Cove Park Drive Charlotte, NC 28278, USA Tel. +01 704 587 95 26 Fax +01 704 587 04 85

China

CHIRON Machine Tool (Beijing) Ltd., China Room 2312, Tower B, Eagle Run Plaza,

No. 26 Xiaoyun Road, Chaoyang District, Beijing 100016, P.R. China Tel. +86 10 6598 9811 Fax +86 10 6598 9812 info@chiron-china.com www.chiron-china.com

CHIRON Machine Tools (Taicang) Co., Ltd.

No.1-1, Fada Road Technological Development Zone, Taicang 215413, Jiangsu Province P.R. China Tel. +86 512 5367 0800 Fax +86 512 5367 0808 info@chiron-china.com www.chiron-china.com

India

CHIRON India Machine Tools Private Limited

#33, Naseer Affinity, 1st Floor Miller Tank Bund Road, Kaveriappa Layout Vasanth Nagar, Bangalore - 560 052, India Tel. +91 80 4905 6490

Fax +91 80 4905 6450 info@chiron-india.com www.chiron-india.com



Kreuzstrasse 75 78532 Tuttlingen, Germany Phone +49 7461 940-0 Fax +49 7461 940-8000